

---

Professional Certificate in Risk Management in Healthcare

# Patient Safety and Quality Improvement in Healthcare

---

Patient Safety and Quality Improvement in Healthcare are critical aspects of healthcare delivery that aim to protect patients from harm and enhance the overall quality of care. This course on Professional Certificate in Risk Management in Healthcare provides a comprehensive understanding of key terms and vocabulary essential for professionals working in the healthcare industry. Let's explore these terms in detail:

1. **Patient Safety**:

Patient safety refers to the proactive measures taken by healthcare providers to prevent harm to patients during the delivery of healthcare services. It involves identifying and minimizing risks, errors, and hazards that could potentially lead to adverse events. Patient safety initiatives focus on creating a culture of safety within healthcare organizations to prioritize patient well-being.

2. **Quality Improvement**:

Quality improvement in healthcare involves continuous efforts to enhance the effectiveness, efficiency, and safety of healthcare services. It aims to optimize patient outcomes by identifying areas for improvement, implementing evidence-based practices, and monitoring performance to ensure adherence to quality standards. Quality improvement initiatives often involve data analysis, process redesign, and stakeholder engagement.

3. **Risk Management**:

Risk management in healthcare is a systematic approach to identifying, assessing, and mitigating risks that could impact patient safety and quality of care. It involves analyzing potential risks, implementing risk reduction strategies, and monitoring outcomes to prevent adverse events. Risk management practices help healthcare organizations proactively address challenges and improve overall patient outcomes.

4. **Adverse Event**:

An adverse event is an unintended harm or injury caused to a patient during the course of healthcare delivery. Adverse events can result from medical errors, system failures, or other factors that compromise patient safety. It is essential for healthcare providers to report and analyze adverse events to prevent similar incidents in the future and enhance patient safety.

5. **Root Cause Analysis**:

Root cause analysis is a structured method used to investigate the underlying causes of adverse events or near misses in healthcare. It involves identifying contributing factors, analyzing processes, and determining the primary cause of an incident. Root cause analysis helps healthcare organizations understand why an

adverse event occurred and implement preventive measures to avoid recurrence.

6. **Near Miss**:

A near miss is an event that could have resulted in harm to a patient but did not cause any adverse consequences. Near misses provide valuable opportunities for learning and improvement in healthcare by identifying potential risks and vulnerabilities in the system. By reporting and analyzing near misses, healthcare organizations can implement preventive measures to enhance patient safety.

7. **Sentinel Event**:

A sentinel event is a serious adverse event that results in significant harm to a patient, often leading to death or permanent disability. Sentinel events are rare but have a profound impact on patient safety and quality of care. Healthcare organizations are required to report and investigate sentinel events to identify system failures and implement corrective actions to prevent similar incidents in the future.

8. **Culture of Safety**:

A culture of safety refers to an organizational environment where healthcare providers prioritize patient safety, open communication, and continuous improvement. A culture of safety encourages staff to report errors, near misses, and concerns without fear of retribution. By promoting transparency, collaboration, and accountability, healthcare organizations can foster a culture of safety that enhances patient outcomes.

9. **Just Culture**:

A just culture is a concept that balances individual accountability with organizational responsibility in healthcare. It recognizes that errors are often the result of system failures rather than individual negligence. A just culture promotes fair and consistent responses to errors, encourages open communication, and supports learning from mistakes to improve patient safety and quality of care.

10. **Lean Six Sigma**:

Lean Six Sigma is a methodology that combines principles of Lean management and Six Sigma to improve efficiency and quality in healthcare. Lean focuses on eliminating waste and optimizing processes, while Six Sigma aims to reduce variation and defects. Healthcare organizations use Lean Six Sigma tools and techniques to streamline operations, enhance patient flow, and deliver high-quality care.

11. **High Reliability Organization (HRO)**:

A high reliability organization is a healthcare institution that maintains a strong commitment to patient safety and quality improvement. HROs prioritize proactive risk management, continuous learning, and a culture of safety to prevent errors and adverse events. By adopting HRO principles, healthcare organizations can enhance their resilience and reduce the likelihood of patient harm.

12. **Failure Mode and Effects Analysis (FMEA)**:

Failure Mode and Effects Analysis is a proactive risk assessment tool used in healthcare to identify potential failure modes in processes, systems, or equipment. FMEA involves analyzing the potential impact of failures, prioritizing risks, and developing mitigation strategies to prevent adverse events. Healthcare organizations

use FMEA to enhance patient safety, quality, and reliability.

13. **\*\*Patient-Centered Care\*\***:

Patient-centered care is an approach to healthcare that prioritizes the individual needs, preferences, and values of patients. It involves engaging patients in decision-making, promoting shared decision-making, and fostering a collaborative relationship between patients and healthcare providers. Patient-centered care emphasizes respect, empathy, and empowerment to improve patient outcomes and satisfaction.

14. **\*\*Clinical Governance\*\***:

Clinical governance is a framework for ensuring high standards of clinical quality, safety, and effectiveness in healthcare. It involves establishing processes, policies, and structures to monitor and improve clinical performance, reduce risks, and enhance patient outcomes. Clinical governance encompasses leadership, accountability, and continuous improvement to deliver safe and effective care.

15. **\*\*Patient Engagement\*\***:

Patient engagement refers to involving patients in their own care and decision-making processes to improve health outcomes. It involves educating patients about their conditions, treatment options, and self-management strategies. Patient engagement also includes seeking feedback from patients, addressing their concerns, and promoting shared decision-making to enhance patient satisfaction and adherence to treatment.

16. **\*\*Health Information Technology (HIT)\*\***:

Health Information Technology encompasses the use of electronic systems and tools to manage and exchange health information. HIT includes electronic health records (EHRs), telemedicine, clinical decision support systems, and other technologies that support healthcare delivery. By leveraging HIT, healthcare organizations can improve care coordination, reduce errors, and enhance patient safety and quality of care.

17. **\*\*Interprofessional Collaboration\*\***:

Interprofessional collaboration involves healthcare professionals from different disciplines working together to provide comprehensive and coordinated care to patients. It promotes teamwork, communication, and shared decision-making to address complex healthcare needs. Interprofessional collaboration enhances patient safety by leveraging the diverse expertise of healthcare providers to deliver high-quality, patient-centered care.

18. **\*\*Quality Indicators\*\***:

Quality indicators are measurable parameters used to assess the performance and outcomes of healthcare services. They help healthcare organizations track progress, identify areas for improvement, and benchmark against established standards. Quality indicators may include measures of patient safety, clinical effectiveness, patient experience, and efficiency. By monitoring quality indicators, healthcare organizations can drive continuous improvement and enhance the overall quality of care.

19. **\*\*Healthcare Accreditation\*\***:

Healthcare accreditation is a process by which healthcare organizations undergo external evaluation to assess their compliance with quality and safety standards. Accreditation bodies, such as The Joint Commission or the National Committee for Quality Assurance, evaluate healthcare facilities based on established criteria and guidelines. Healthcare accreditation signifies a commitment to high-quality care, patient safety, and continuous improvement.

#### 20. **Value-Based Care**:

Value-based care is a healthcare delivery model that emphasizes improving patient outcomes while reducing costs. It focuses on enhancing the quality and efficiency of care by aligning incentives with patient outcomes. Value-based care aims to deliver high-quality, patient-centered services that optimize health outcomes and enhance the overall value of healthcare delivery.

In conclusion, understanding key terms and vocabulary related to Patient Safety and Quality Improvement in Healthcare is essential for healthcare professionals to effectively manage risks, enhance patient outcomes, and drive continuous improvement in healthcare delivery. By applying these concepts and principles in practice, healthcare organizations can create a culture of safety, optimize quality of care, and ultimately improve patient safety and satisfaction.

### Patient Safety

Patient safety is a fundamental aspect of healthcare that focuses on preventing harm to patients. It involves a range of strategies and practices aimed at reducing the risk of errors, injuries, accidents, and other adverse events that can occur during the provision of healthcare services. Patient safety is a critical component of quality healthcare delivery and is essential for ensuring positive patient outcomes.

Patient safety encompasses a variety of principles, including:

1. **Non-maleficence**: This principle of medical ethics emphasizes the obligation of healthcare providers to do no harm to patients. It underlines the importance of prioritizing patient safety above all else.
2. **Communication**: Effective communication among healthcare providers, patients, and their families is crucial for ensuring patient safety. Clear and accurate information exchange helps prevent misunderstandings and errors.
3. **Teamwork**: Collaborative teamwork among healthcare professionals is essential for providing safe and effective care to patients. Effective teamwork involves open communication, mutual respect, and a shared commitment to patient safety.
4. **Continuous Improvement**: Patient safety requires a culture of continuous improvement, where healthcare organizations regularly assess their processes, identify areas for enhancement, and implement changes to prevent errors and adverse events.
5. **Adverse Event Reporting**: Healthcare providers are encouraged to report adverse events, near misses, and

errors promptly to facilitate learning and prevent similar incidents in the future. Reporting systems help identify system weaknesses and opportunities for improvement.

Patient safety initiatives aim to reduce medical errors, improve healthcare quality, and enhance patient outcomes. By implementing best practices, protocols, and standards, healthcare organizations can create a culture of safety that prioritizes patient well-being.

### Quality Improvement

Quality improvement in healthcare refers to systematic efforts to enhance the effectiveness, efficiency, safety, and patient-centeredness of healthcare services. It involves evaluating existing processes, identifying areas for improvement, implementing changes, and monitoring outcomes to achieve better results.

Key principles of quality improvement include:

1. **Plan-Do-Study-Act (PDSA) Cycle:** The PDSA cycle is a framework for implementing and testing changes in healthcare processes. It involves planning a change, implementing it on a small scale, studying the results, and acting on the findings to make further improvements.
2. **Root Cause Analysis:** Root cause analysis is a method for identifying the underlying causes of adverse events or errors in healthcare. By investigating the root causes of problems, healthcare organizations can implement targeted solutions to prevent recurrences.
3. **Performance Measurement:** Performance measurement involves collecting and analyzing data to evaluate the quality of healthcare services. By monitoring key performance indicators, healthcare organizations can identify areas for improvement and track progress over time.
4. **Lean Six Sigma:** Lean Six Sigma is a methodology that combines lean principles (focused on reducing waste and improving efficiency) with Six Sigma techniques (aimed at reducing variability and defects). Healthcare organizations use Lean Six Sigma to streamline processes and enhance quality.
5. **Patient-Centered Care:** Patient-centered care focuses on meeting the needs and preferences of patients while ensuring their safety and well-being. By involving patients in decision-making and care planning, healthcare providers can improve outcomes and patient satisfaction.

Quality improvement initiatives in healthcare aim to enhance the overall quality of care, optimize resource utilization, and achieve better outcomes for patients. By fostering a culture of continuous learning and improvement, healthcare organizations can deliver high-quality, patient-centered care.

### Root Cause Analysis (RCA)

Root cause analysis (RCA) is a structured method for identifying the underlying causes of adverse events, errors, or near misses in healthcare. It involves investigating the factors that contributed to an incident to

prevent similar occurrences in the future.

The RCA process typically includes the following steps:

1. **Identify the Problem:** The first step in RCA is to clearly define the problem or adverse event that occurred. This involves gathering information, reviewing relevant documents, and interviewing individuals involved in the incident.
2. **Collect Data:** RCA requires collecting data on the incident, including what happened, when it occurred, who was involved, and any contributing factors. Data collection helps uncover the root causes of the problem.
3. **Identify Contributing Factors:** In this step, healthcare providers analyze the incident to identify the factors that contributed to the adverse event. This may include human factors, system failures, communication breakdowns, or other issues.
4. **Determine Root Causes:** Once contributing factors are identified, the next step is to determine the root causes of the problem. Root causes are the underlying issues that, if addressed, can prevent similar incidents from happening in the future.
5. **Develop Action Plan:** Based on the findings of the RCA, healthcare organizations develop an action plan to address the root causes and prevent recurrence of the problem. The action plan may involve process changes, staff training, policy revisions, or other interventions.
6. **Implement Solutions:** After developing an action plan, healthcare providers implement the proposed solutions to address the root causes of the problem. It is essential to monitor the effectiveness of the solutions and make adjustments as needed.

RCA is a valuable tool for improving patient safety, enhancing quality of care, and preventing adverse events in healthcare. By conducting thorough investigations and addressing root causes, healthcare organizations can create a safer environment for patients and healthcare providers.

### Near Miss

A near miss in healthcare refers to an event that could have resulted in harm to a patient but did not cause any injury or damage. Near misses are incidents where an error or mistake occurred but was caught before reaching the patient, preventing potential harm.

Examples of near misses in healthcare include:

1. A nurse almost administers the wrong medication to a patient but realizes the error before administering it.
2. A laboratory technician mislabels a specimen but catches the mistake before sending it for analysis.

3. A surgeon almost operates on the wrong patient but discovers the error before starting the procedure.

Near misses are important indicators of potential vulnerabilities in healthcare processes and systems. By reporting and investigating near misses, healthcare organizations can identify areas for improvement and implement preventive measures to reduce the risk of future errors and adverse events.

### Adverse Event

An adverse event in healthcare refers to an incident that results in harm to a patient. Adverse events can be caused by medical errors, system failures, communication breakdowns, or other factors that compromise patient safety.

Common types of adverse events in healthcare include:

1. Medication errors: Incorrect doses, wrong medications, or drug interactions that harm patients.
2. Surgical complications: Infections, wrong-site surgeries, or other surgical errors that cause harm.
3. Falls: Patient falls resulting in injuries in healthcare facilities.
4. Diagnostic errors: Misdiagnoses or delayed diagnoses that lead to harm.
5. Healthcare-associated infections: Infections acquired during the course of healthcare delivery.

Adverse events can have serious consequences for patients, including prolonged hospital stays, disability, or even death. Healthcare organizations are encouraged to report adverse events, investigate their causes, and implement measures to prevent similar incidents in the future.

### Medical Error

A medical error is a preventable adverse event that occurs due to a mistake in the healthcare process. Medical errors can occur at any stage of patient care, from diagnosis and treatment to medication administration and discharge planning.

Types of medical errors include:

1. Diagnostic errors: Incorrect or delayed diagnoses that lead to inappropriate treatment.
2. Treatment errors: Mistakes in medication administration, surgical procedures, or other treatments.
3. Communication errors: Misunderstandings or breakdowns in communication among healthcare providers, patients, and families.
4. Documentation errors: Inaccurate or incomplete medical records that impact patient care.
5. System errors: Failures in healthcare systems, processes, or policies that contribute to adverse events.

Medical errors can have serious consequences for patients, including harm, injury, or even death. Healthcare providers are encouraged to report errors, investigate their causes, and implement corrective actions to prevent recurrences.

## Just Culture

A just culture in healthcare is a work environment that promotes open communication, accountability, and learning from errors. It encourages healthcare providers to report mistakes without fear of reprisal and focuses on system improvements rather than individual blame.

Key principles of a just culture include:

1. **Accountability:** Healthcare providers are accountable for their actions and decisions, but the focus is on understanding the underlying causes of errors rather than assigning blame.
2. **Transparency:** Open communication is essential in a just culture, where errors, near misses, and adverse events are reported and discussed openly to promote learning and improvement.
3. **Learning Culture:** A just culture fosters a culture of continuous learning and improvement, where healthcare organizations analyze errors, identify root causes, and implement corrective actions to prevent recurrences.
4. **Non-punitive Approach:** Healthcare providers are not punished for reporting errors in a just culture. Instead, the emphasis is on understanding why errors occur and implementing changes to prevent them in the future.
5. **Supportive Environment:** A just culture provides support to healthcare providers who make mistakes, recognizing that errors are often the result of system failures rather than individual negligence.

By promoting a just culture, healthcare organizations can create a safer and more transparent environment for patients and healthcare providers. It encourages reporting of errors, supports learning from mistakes, and drives continuous improvement in patient safety and quality of care.

## High Reliability Organization (HRO)

A high reliability organization (HRO) is an organization that operates in complex and high-risk environments, such as healthcare, aviation, and nuclear power, with a strong focus on safety and reliability. HROs are characterized by their ability to consistently deliver high-quality services while minimizing errors and adverse events.

Key characteristics of high reliability organizations include:

1. **Preoccupation with Failure:** HROs are constantly vigilant for potential failures and errors, seeking to identify and address vulnerabilities before they result in harm.
2. **Reluctance to Simplify:** HROs avoid oversimplifying complex issues and recognize that errors can arise from multiple factors and interactions.

3. Sensitivity to Operations: HROs have a high level of awareness of day-to-day operations and potential risks, allowing them to detect and respond to issues quickly.
4. Commitment to Resilience: HROs prioritize resilience and adaptability, enabling them to recover quickly from failures and maintain high levels of performance.
5. Deference to Expertise: HROs value the expertise and insights of frontline staff, encouraging open communication and collaboration to prevent errors.

By adopting HRO principles and practices, healthcare organizations can enhance patient safety, improve quality of care, and minimize the risk of adverse events. HROs prioritize safety, reliability, and continuous improvement to provide high-quality services in complex and challenging environments.

### Lean Six Sigma

Lean Six Sigma is a methodology that combines lean principles with Six Sigma techniques to improve efficiency, reduce waste, and enhance quality in healthcare. Lean focuses on eliminating non-value-added activities and streamlining processes, while Six Sigma aims to reduce variability and defects in outcomes.

Key concepts of Lean Six Sigma in healthcare include:

1. Value Stream Mapping: Value stream mapping is a tool used in Lean Six Sigma to visualize and analyze the flow of activities in healthcare processes. It helps identify inefficiencies and opportunities for improvement.
2. Kaizen Events: Kaizen events are rapid improvement workshops that bring together cross-functional teams to address specific problems and implement changes quickly. Kaizen events are a key component of Lean Six Sigma in healthcare.
3. DMAIC: DMAIC is a problem-solving methodology used in Six Sigma that stands for Define, Measure, Analyze, Improve, and Control. Healthcare organizations use DMAIC to identify root causes of problems, develop solutions, and monitor outcomes.
4. Standard Work: Standard work involves documenting best practices and standardizing processes to ensure consistency and quality in healthcare delivery. Lean Six Sigma emphasizes the importance of standardizing work to reduce errors and improve efficiency.
5. Continuous Improvement: Lean Six Sigma promotes a culture of continuous improvement in healthcare, where organizations regularly assess their processes, identify areas for enhancement, and implement changes to optimize performance.

By applying Lean Six Sigma principles and tools, healthcare organizations can streamline processes, reduce costs, and enhance quality of care for patients. Lean Six Sigma helps healthcare providers identify and

address inefficiencies, improve outcomes, and deliver high-value services to patients.

## Performance Measurement

Performance measurement in healthcare involves collecting, analyzing, and reporting data to evaluate the quality, efficiency, and effectiveness of healthcare services. Performance measurement helps healthcare organizations monitor key performance indicators, track progress, and identify areas for improvement.

Key components of performance measurement in healthcare include:

1. **Key Performance Indicators (KPIs):** KPIs are quantifiable measures used to assess the performance of healthcare organizations. Common KPIs in healthcare include patient satisfaction, readmission rates, infection rates, and mortality rates.
2. **Benchmarking:** Benchmarking involves comparing performance data against industry standards or best practices to identify areas of strength and weakness. Benchmarking helps healthcare organizations set goals, track progress, and improve performance.
3. **Data Collection:** Performance measurement requires collecting and analyzing data from various sources, including electronic health records, patient surveys, and administrative databases. Data collection is essential for evaluating outcomes and identifying opportunities for improvement.
4. **Data Analysis:** Data analysis involves interpreting performance data to identify trends, patterns, and areas for improvement. Healthcare organizations use statistical methods and data visualization techniques to analyze performance data effectively.
5. **Reporting:** Performance measurement involves reporting performance data to stakeholders, including healthcare providers, administrators, policymakers, and patients. Reporting helps communicate results, drive accountability, and support decision-making.

Performance measurement is essential for assessing the quality of care, optimizing resource utilization, and driving continuous improvement in healthcare. By monitoring key performance indicators, analyzing data, and implementing evidence-based practices, healthcare organizations can enhance patient outcomes and deliver high-quality services.

## Plan-Do-Study-Act (PDSA) Cycle

The Plan-Do-Study-Act (PDSA) cycle is a quality improvement framework used in healthcare to implement and test changes in processes, systems, or practices. The PDSA cycle involves four key steps: Plan, Do, Study, and Act, which guide healthcare organizations through a structured approach to improvement.

1. **Plan:** The first step in the PDSA cycle is to plan the change or intervention to be tested. This involves defining the objectives, setting goals, identifying key stakeholders, and developing a plan for

implementation.

2. Do: The second step is to implement the planned change on a small scale. This may involve piloting the intervention in a specific unit, department, or patient population to test its feasibility and effectiveness.
3. Study: The third step is to study the results of the intervention. This involves collecting and analyzing data to evaluate the impact of the change on outcomes, processes, or patient experiences.
4. Act: The final step is to act on the findings of the study. Based on the results, healthcare organizations decide whether to adopt, modify, or abandon the change. Successful interventions are scaled up, and unsuccessful ones are revised or discontinued.

The PDSA cycle is a continuous improvement tool that enables healthcare organizations to test changes, learn from results, and make evidence-based decisions. By following the PDSA cycle, healthcare providers can implement quality improvements, enhance patient safety, and drive organizational change.

#### Failure Mode and Effects Analysis (FMEA)

Failure Mode and Effects Analysis (FMEA) is a proactive risk assessment tool used in healthcare to identify and prioritize potential failure modes in processes, systems, or products. FMEA helps healthcare organizations anticipate risks, prevent errors, and enhance patient safety.

Key steps in the FMEA process include:

1. Identify Failure Modes: The first step in FMEA is to identify potential failure modes, which are ways in which a process or system can fail. Healthcare providers analyze processes to determine where errors may occur.
2. Assess Severity: Once failure modes are identified, healthcare organizations assess the severity of each potential failure and its potential impact on patients, staff, or organizational goals.
3. Determine Probability: FMEA involves determining the probability of each failure mode occurring. Healthcare providers evaluate the likelihood of errors based on historical data, expert knowledge, and system analysis.
4. Evaluate Detection: Healthcare organizations assess the ability to detect or prevent each failure mode before it reaches the patient. This step helps prioritize interventions to reduce the risk of errors.
5. Calculate Risk Priority Number (RPN): The Risk Priority Number (RPN) is a numerical value calculated by multiplying the severity, probability, and detection scores of each failure mode. Higher RPN values indicate greater risk and require immediate attention.

By conducting FMEA, healthcare organizations can proactively identify and mitigate risks, prevent errors, and improve patient safety. FMEA helps healthcare providers prioritize safety initiatives, allocate resources

effectively, and create a culture of continuous risk assessment and improvement.

### Swiss Cheese Model

The Swiss Cheese Model is a risk management concept used in healthcare to illustrate how errors and adverse events can occur due to multiple failures in a system. The model compares the layers of defense in a healthcare system to slices of Swiss cheese, where each slice represents a barrier to errors and adverse events.

Key components of the Swiss Cheese Model include:

1. **Defenses:** The layers of defense in the Swiss Cheese Model represent safety measures, protocols, and safeguards in a healthcare system designed to prevent errors. These defenses act as barriers to errors and adverse events.
2. **Holes:** Holes in the Swiss Cheese Model represent vulnerabilities or weaknesses in the system that allow errors to pass through. When multiple holes align in the layers of defense, errors can penetrate the system and result in adverse events.
3. **Latent Failures:** Latent failures are underlying weaknesses in a healthcare system that may not be immediately apparent but can contribute to errors and adverse events over time. Identifying and addressing latent failures is essential for preventing errors.
4. **Active Failures:** Active failures are immediate errors or mistakes that occur in the course of healthcare delivery, such as medication errors, surgical complications, or communication breakdowns. Active failures can result from holes aligning in the layers of defense.

The Swiss Cheese Model emphasizes the importance of multiple layers of defense, effective communication, and system improvements to prevent errors and adverse events in healthcare. By addressing vulnerabilities and strengthening defenses, healthcare organizations can reduce the risk of harm to patients and enhance patient safety.

### Communication and Teamwork

Effective communication and teamwork are essential components of patient safety and quality improvement in healthcare. Clear and open communication among healthcare providers, patients, and families promotes collaboration, prevents errors, and enhances patient outcomes.

Key principles of communication and teamwork in healthcare include:

1. **Shared Decision-Making:** Involving patients in care decisions and treatment planning promotes patient-centered care and improves outcomes. Shared decision-making fosters trust, engagement, and better adherence to treatment plans.

- 
2. Interprofessional Collaboration: Collaborative teamwork among healthcare providers from different disciplines improves coordination, communication, and patient safety. Interprofessional collaboration ensures that all team members work together to deliver high-quality care.
  3. Handoff Communication: Effective handoff communication during shift changes, transfers of care, or transitions between healthcare settings is crucial for preventing errors and ensuring continuity of care. Clear and accurate handoffs reduce the risk of misunderstandings and omissions.
  4. Closed-Loop Communication: Closed-loop communication involves a sender